

FL 994070373-us

02-06-04

B

Express Mail Label No.

Dated:

2/4/04

Docket No.: 00952/100J499-US1
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of:
Clifford J. Hazel

Application No.: 10/081,735

Confirmation No.: 2926

Filed: February 22, 2002

Art Unit: 1714

For: FUEL COMPOSITION

Examiner: C. D. Toomer

SUBMISSION OF DOCUMENTS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby submits a certified copy of the following prior foreign application upon which a priority claim under 35 U.S.C. '119 has been previously and timely made by Applicant:

Country	Application No.	Date
United Kingdom	9827592.8	December 15, 1998

In support of this claim, a certified copy of the said original foreign application is filed herewith.

Dated: February 4, 2004

Respectfully submitted,

By

Edward J. Ellis

Registration No.: 40,389

DARBY & DARBY P.C.

P.O. Box 5257

New York, New York 10150-5257

(212) 527-7700

(212) 753-6237 (Fax)

Attorneys/Agents For Applicant



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the application is now proceeding in the name as identified herein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 12 January 2004



The
Patent
Office



INVESTOR IN PEOPLE

GB9827592.8

By virtue of a direction given under Section 30 of the Patents Act 1977, the application is proceeding in the name of

AAE HOLDINGS PLC
Unit 11, Bridge Road Business Park
HAYWARDS HEATH
West Sussex
RH16 1TX
United Kingdom

Incorporated in the United Kingdom

[ADP No. 07799406001]

Patents Form 1/77

Patents Act 1977
(Rule 16)

The
Patent
Office

16DEC98 16:14:16 D02820
P01/77 0.00 9827592.8

Request for grant of a patent

(See the notes on the back of this form. You can also get
an explanatory leaflet from the Patent Office to help
you fill in this form)



The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference	P02080GB		
2. Patent application number (The Patent Office will fill in this part)	9827592.8		15 DEC 1998
3. Full name, address and postcode of the or of each applicant (underline all surnames)	HAMELIN HOLDINGS, LIMITED PO BOX 3186, ABBOTTS BUILDING MAIN STREET ROAD TOWN BRITISH VIRGIN ISLANDS 7570229001		
Patents ADP number (if you know it)	SECTION 83 (1977 ACT) APPLICATION FILED 16.11.99		
If the applicant is a corporate body, give the country/state of its incorporation			
4. Title of the invention	FUEL COMPOSITION		
5. Name of your agent (if you have one)	LAURENCE SHAW & ASSOCIATES		
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	5TH FLOOR, METROPOLITAN HOUSE 1 HAGLEY ROAD EDGEASTON BIRMINGHAM B16 8TG		
Patents ADP number (if you know it)	13623001		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day / month / year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

5

Claim(s)

2

Abstract

0

Drawing(s)

6

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)Request for preliminary examination and search (*Patents Form 9/77*)Request for substantive examination (*Patents Form 10/77*)Any other documents
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date 15.12.98

LAURENCE SHAW & ASSOCIATES

12. Name and daytime telephone number of person to contact in the United Kingdom

LAURENCE SHAW : 0121.454.4962

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Agent's R f. P02080GB

FUEL COMPOSITION

The invention relates to a fuel composition. It is known that to meet some legislation requirements fuels must have a low Reid Vapour Pressure value (RVP), e.g. under California State law, the RVP must be below 7. RVP is measured at one atmosphere pressure and 100°F (about 39°C).

Some modern day gasoline contains a small percentage of a condensate from natural gas pipelines. The condensate is a light fraction which is primarily pentanes although other hydrocarbons may be present. The condensate adversely affects the RVP, especially when the gasoline contains an alcohol such as ethanol.

It is one object of this invention to provide a fuel composition incorporating an additive such that the RVP may be reduced even when other ingredients such as pentane-based condensate and/or alcohol are present.

According to the invention in one aspect there is provided a fuel composition comprising a hydrocarbon fuel, an alcohol and an additive selected so that an azeotrope of the additive, fuel and alcohol is formed whereby the composition has a lowered Reid Vapour Pressure value.

Preferably the additive :

- i) is a non-ionic surfactant;
- ii) is miscible with the fuel so that when added to the fuel a solution is formed;

iii) comprises:

- a) an oil soluble ethoxylated alcohol;
- b) an ethanolamide of a fatty acid formed by reacting ethanolamine and fatty acid in a ratio 1:1 whereby unwanted by-products are avoided;
- c) an ethoxylated fatty acid,

these being blended together to form a compound having the ethoxylated alcohol and the ethoxylated fatty acid at opposite ends of the ethanolamide backbone, the ethoxylated ends having substantially the same molecular weight.

Preferably the ethanolamide is a mono-, di- or triethanolamide. While the alcohol ethoxylate may have a varied number of groups preferably the alcohol ethoxylate has three ethoxy groups. Preferably the fatty acid has three ethoxy groups or seven ethoxy groups or nine ethoxy groups.

Preferably the hydrocarbon fuel is a gasoline. Preferably the alcohol is ethanol but it may be methanol or another alcohol or a combination.

The pentanes may be mixed with other hydrocarbons, depending on the source and of course they can be present in other ingredients, not just gasoline. The proportion may vary widely without adverse effect.

Other ingredients may be present such as oxygenates, e.g. ethers, esters; and the like.

3

In another aspect the invention provides a method of making a fuel composition having a low Reid Vapour Pressure value, the method comprising mixing a pentane condensate with an additive as defined.

The additive may be added to the fuel composition in any convenient way. Because the additive is compatible with pentanes it may be convenient to form a stock solution of the additive and the pentanes and add that to the fuel.

The content of the additive will be selected according to the nature of the fuel composition. Preferably sufficient additive is added so that the fuel has an RVP value below about 7 but this will depend on local requirements.

In order that the invention may be well understood it will now be described by way of illustration with reference to the following examples.

Example I

Different blends shown in Table I were made and subjected to gas chromatography. The ratio of hydrocarbon: ethanol was measured by gas chromatography. The results were used to indicate the extent to which the content of the ethanol could be incorporated without exceeding an increase in the temperature at which the volatile ingredients evaporated. The results showed the amount of ethanol that could be incorporated into the hydrocarbon without increasing the temperature at which the volatile components evaporated.

The additive comprised 60% by weight ethanolethoxylate, 20% by weight diethanolamide and 20% by weight of lauric diethanolamide. Our investigation suggests that these interact to form a compound in which the ethanolamide is a backbone.

Example II

Different blends were made up and the RVP determined. The following results were obtained:

TABLE II

<u>Sample</u>	<u>Gasoline</u>	<u>Ethanol</u>	<u>Additive</u> <u>As above</u>	<u>Water</u>	<u>RVP</u> <u>(1)</u>	<u>RVP</u> <u>(2)</u>	<u>RVP</u> <u>(3)</u>
1	90	10	-	-	7.48	7.7	7.58
2	87.5	10	2.5	-	7.18	7.41	7.29
3	85.0	10	2.5	2.5	6.87	7.11	6.98
4	85.0	10	2.5	2.5	6.96	7.19	7.06

The RVP value was measured according to ASTM 5191 and is the mean value of results calculated according to CARB (1), EPA (2) and ASTM (3) methods. In Samples 2, 3 and 4 the gasoline included a proportion of a condensate which was mainly pentanes. These results demonstrate a tendency of the additive to reduce the RVP value, and that by selecting appropriate proportions a fuel composition can be made to meet the requirements of local legislation.

TABLE I

Sample	Hydrocarbon (a)	Ethanol (b)	Pentane	Additive	Ratio (a) : (b)
1	90	10	0	C	15:1
2	89	10	0	1	16.7:1
3	82	13.5	4.5	C	17.75:1
4	77.5	13.5	4.5	4.5	11.69:1
5					
6					
7					

CLAIMS

1. A fuel composition comprising a hydrocarbon fuel, an alcohol and an additive selected so that an azeotrope of the additive, fuel and alcohol is formed whereby the composition has a lowered Reid Vapour Pressure value.
2. A composition according to Claim 1, wherein the additive is a non-ionic surfactant, is miscible with the fuel so that when added to the fuel a solution is formed.
3. A composition according to Claim 1 or 2, wherein the additive comprises an oil soluble ethoxylated alcohol, an ethanolamide of a fatty acid formed by reacting ethanolamine fatty acid in a ratio 1:1 whereby unwanted by-products are avoided; and an ethoxylated fatty acid, these being blended together to form a compound having the ethoxylated alcohol and the ethoxylated fatty acid at opposite ends of the ethanolamide backbone, the ethoxylated ends having substantially the same molecular weight.
4. A composition according to Claim 3, wherein the ingredients of the additive are blended in the weight proportion of 60:20:20.
5. A composition according to any preceding Claim, wherein the hydrocarbon fuel is gasoline.
6. A composition according to Claim 5, wherein the gasoline is blended with a pentane or a condensate containing pentanes.

7

7. A composition according to any preceding Claim, wherein the alcohol is ethanol.
8. A composition according to any preceding Claim having a Reid Vapour Pressure below about 7.
9. A method of making a fuel composition having a low Reid Vapour Pressure value, the method comprising mixing a pentane condensate with an additive wherein the additive is a non-ionic surfactant, is miscible with the fuel so that when added to the fuel a solution is formed.
10. A method according to Claim 9, wherein the additive comprises an oil soluble ethoxylated alcohol, an ethanolamide of a fatty acid formed by reacting ethanolamine fatty acid in a ratio 1:1 whereby unwanted by-products are avoided; and an ethoxylated fatty acid, these being blended together to form a compound having the ethoxylated alcohol and the ethoxylated fatty acid at opposite ends of the ethanolamide backbone, the ethoxylated ends having substantially the same molecular weight.
11. A method according to Claim 10, wherein the three ingredients of the additive are present in the weight ratio of 60:20:20.
12. A method according to Claim 9 or 10 or 11, wherein the hydrocarbon fuel is a gasoline.